


Do you know how much drinking water is consumed by using different kinds of drinkers?



Farm Challenges:







- 01 Leakage of water from pig mouth.
- 02 Water waste when pig playing water.
- 103 Leakage of water from nipple drinker because of aging spring or O ring.

By using" Savewater" water level controller, above waste can be perfectly solved.



- / Eliminate water waste when pigs drink water
- / Ensure adequate drinking water, improve pig water intaking.
- / Ensure clean and flesh water.



- / Eliminate water waste caused by pigs playing water;
- / Provide most natural drinking way for pigs, improving animal welfare.
- Decrease fodder wasting, enhance the feed conversion ratio.




- / Get rid of leakage of nipple drinker caused by aging spring or O ring.
- / Decrease wasting of drug and nutrition added in drinking water.
- / Reduce pigs' drinking stress reaction because of group transfer.



Water Level Controller System Item No.: 100010801 Pressure: 1-7Bar Lifespan: 5 years Flow rate: 2.5L/min



- ♦ Unique occlusal design with 304 SS anti-off nuts, eliminate water and air leak.
- High performance membrane guarantees work over 300,000 times.
- Scientific design of large water flow inlet ensures constant and sufficient water supply, even under lower water pressure.
- External valve to reduce membrance damage.





OUR PARTNERS

















(1) +86 21 5999 3726

+86 21 5999 3763

vivian@savewater-china.com

www.savewater-china.com

Room 101, No.866 Aite Road, Jiangqiao Town, Jiading District, Shanghai, China

Shanghai Xishui Agriculture & Animal Husbandry Equipment Co., Ltd

